	Application No.	Applicant(s)	
Notice of Allemahiller	09/955,236	KOBAYASHI, SHINJI	
Notice of Allowability	Examiner	Art Unit	
	Edwin C. Holloway, III	2612	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the 5-5-06 amendment.			
2. The allowed claim(s) is/are 1,3,7,9 and 10.			
3. ☑ Acknowledgment is made of a claim for foreign priority un a) ☑ All b) ☐ Some* c) ☐ None of the:	der 35 U.S.C. § 119(a)-(d) or (f).		
1. 🛛 Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) ☐ hereto or 2) ☐ to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
		•	
Attachment(s)	5 D Nation of Information	-AA!:A: (DTG	. 450)
1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa	` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	⊬152)
Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary (Paper No./Mail Date		
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	8), 7. 🛛 Examiner's Amendm	nent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statemen	nt of Reasons for Allov	vance
	9. Other		

Art Unit: 2612

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claim 8 has been canceled.

2. The above amendment was made to clarify the status of claim 8 because the 5-5-06 amendment omitted claim 8 from the listing of claims, but the remarks with the 5-5-06 amendment identified claim 8 as canceled.

CONTACT INFORMATION

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact an Electronic Business Center (EBC) representatives at 571-272-4100 or toll free at 1-866-217-9197 between the hours of 6 a.m. and midnight Monday through Friday EST, or by e-mail at ebc@uspto.gov. The Patent EBC is a complete customer service center that supports all Patent e-business products and service applications. Additional information is available on the Patent EBC Web site at http://www.uspto.gov/ebc/index.html.

Art Unit: 2612

Any inquiry of a general nature should be directed to the Technology Center 2600 receptionist at (571) 272-2600. Facsimile submissions may be sent via central fax number 571-273-8300 to customer service for entry by technical support staff. Questions related to the operation of the facsimile system should be directed to the Electronic Business Center.

CENTRALIZED DELIVERY POLICY: For patent related correspondence, hand carry deliveries must be made to the Customer Service Window (now located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314), and facsimile transmissions must be sent to the Central FAX number, unless an exception applies. For example, if the examiner has rejected claims in a regular U.S. patent application, and the reply to the examiner's Office action is desired to be transmitted by facsimile rather than mailed, the reply must be sent to the Central FAX Number. Inquiries concerning only hours and location of the Customer Window may be directed to OIPE Customer Service at (571) 272-4000

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edwin C. Holloway, III whose telephone number is (571) 272-3058. The examiner can normally be reached on M-F (8:30-5:00). If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy Garber can be reached on (571) 272-7308.

EH

7/23/06

Edwin C. Holloway, III
PRIMARY EXAMINER

ART UNIT 2612